

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

NREGS - AP and Other developmental schemes - Revision of Rural Standard Schedule of Rates (RSSR 2013-14) - Orders - Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (RD.II) DEPT

G.O.Ms.No. 107

Dated:20.03.2013

Read the following:

1. G.O.Ms.No.98, PR&RD (RD.II) Dept., dated:13.04.2012
2. The Gazette of India no. 427, dated 26-02-2013

<<>>

ORDER:

Government of India vide reference Second read above has notified the wage rate for unskilled manual work taken up under MGNREGS as Rs.149/-.

2. Hence the wage rate for the unskilled manual work taken up under MGNREGS in the State is revised from Rs. 137/- to Rs. 149/- with effect from 01.04.2013.
3. Para 7 of MGNREG Act states that when wages are directly linked with the quantity of work, the wages shall be paid according to the schedule of rates fixed by the State Government for different types of work every year, in consultation with the State Council.
4. In order to ensure the revised wage rate to the unskilled wage seekers the task rates issued in the reference first read above are superseded and the Government orders for revision of the tasks rates (RSSR 2013-14) as annexed to the order.
5. The RSSR 2013-14 is prepared in comprehensive with different categories of works taken up under MGNREGS.
6. These orders shall come into effect from 01-04-2013.
7. The copy of the GO is available on website www.rd.ap.gov.in

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**R SUBRAHMANYAM
PRINCIPAL SECRETARY TO GOVERNMENT (RD)**

To

The Commissioner, Rural Development, AP., Hyderabad

The Director (EGS) O/o the Commissioner (RD)

All the District Collectors and District Programme Coordinators, NREGS

All the Project Directors, DWMA & Addl. District Programme Coordinators, NREGS

All the Project Directors, DRDAs and Additional District Programme Coordinators, NREGS

Contd..2

All the Chief Executive Officers, ZPs and Additional District Programme Coordinators, NREGS.

The Project Officer, ITDA and Additional District Programme Coordinators of Eturu Nagaram (Warangal), Bhadrachalam (Khammam), Utnoor (Adilabad) and Parvathipuram (Vizianagarm), Srisailem (Kurnool), Paderu (Visakhapatnam), Seethampeta (Srikakulam), Rampachodavaram (East Godavari) & KR Puram (West Godavari)

Copy to:

The Prl. Secretary, Finance (W&P) Dept., Govt. of A.P., Hyderabad.

The Prl. Secretary, PR., Govt. of A.P., Hyderabad.

The Prl. Secretary, Irrigation (I&CAD) of A.P., Hyderabad.

The Prl. Secretary, Tribal Welfare Dept., Govt. of A.P., Hyderabad.

The Secretary, R&B, Govt. of A.P., Hyderabad

The Prl. Secretary, EFS & T Dept., Govt. of A.P., Hyderabad

The Prl. Chief Conservator of Forests, Govt. of AP., Hyderabad

The Commissioner Disaster Management and EO Secy. to Govt.

The Commissioner, AMR-APARD, Rajendranagar, Hyderabad

The Commissioner, Tribal Welfare, Hyderabad

The Chairman and Members of Technical Committee.

The Engineer-in-Chief, Panchayat Raj Dept.

The Engineer-in-Chief, Irrigation Dept.

The Chief Engineer, Tribal Welfare

The Special Officers of NREGS-AP Districts

The Secretary, APREG Council, Hyderabad.

The Superintending Engineers of Panchayat Raj of NREGS -AP Dists.

The Superintending Engineers of Irrigation Dept., of NREGS -AP Dists

PS to Prl. Secretary, RD, Govt. of A.P., Hyderabad

PR&RD (Gent) Dept., (2 copies)

SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER

**ANNEXURE to GO Ms.No. 107, PR&RD (RD-II) Department,
Dated :20.03.2013**

Sl. No.	Category No.	Item of Work	Rates approved in RSSR (GO.Ms.No. 98 PR&RD (RD-II)Dept., dated 13.04.2012) (in Rs.)	Rates now approved to ensure mini. Wage of Rs.149.0/- (in Rs.)	Remarks
1		Unskilled Labour	137.0/- per day	149.0/- per day	-
2	Bush clearance				
	a	Light shrub	3.41/sqm	3.70/sqm	-
	b	Medium and Dense Shrub /Besharam/ Rubber plants	4.31/sqm	4.68/sqm	-
	c	Thin stemmed Juliflora (stem with periphery upto 150 cms)/ thick shrub	8.55/sqm	9.29/sqm	Thick shrub is relevant in tribal areas only
	d	Thick stemmed Juliflora (stem with periphery more than 150 cms	12.80/sqm	13.92/sqm	-
3	Removal of stumps				
	a	Removal of stumps of girth 30cms to 99cms(small stumps)	89.04/- per each	96.83/- per each	-
	b	Removal of stumps of girth 100cms to 199cms(medium stumps)	111.31/- per each	121.06/- per each	-
	c	Removal of stumps of girth 200cms to 299 cms(large stumps)	144.69/- per each	157.36/- per each	-
	d	Removal of stumps of girth 300cms to 399 cms(large stumps)	189.22/- per each	205.79/- per each	-
	e	Removal of stumps of girth 400cms to 499 cms(large stumps)	244.87/- per each	266.32/- per each	-
	f	Removal of stumps of girth 500cms to 599 cms(large stumps)	300.51/- per each	326.83/- per each	-
4		Removal of water hycinth up to 30cms thick	4.24/Sqm	4.61/Sqm	-
5		Removal of water hycinth of more than 30cms thick	5.79/Sqm	6.29/Sqm	-

Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in loamy and clayey soils like black cotton soils, red earth and chowdu soils				
Category-I				
a	Contour bunding/Earthen bunding	59.92/ Cum	65.16/ Cum	-
	Breaking of clods, tamping & sectioning for earthen bunding	20.54/ Cum	22.33/ Cum	
b	Terrasing in Hill / slope areas	80.47/ Cum	87.51/ Cum	
c	Land levelling			
d	Conservative furrows			
Category-II				
a	Mini Percolation Tank/Percolation tank	80.47/ Cum	87.51/ Cum	-
b	Recharge of dried up open well			
c	Desilting and Deepening of existing check dams/percolation tanks			
d	Rockfill dams, Gully control works, Loose boulder structure			
e	Check Dam/Check wall			
Category-III				
a	Boundry Trench	111.17/ Cum	120.90/ Cum	-
b	Trench - Cum -Bund			
c	Staggered trenches, Continuous Contour trenches			
d	Water Absorption trench at foot hills			
e	Cattle Proof Trenches			
f	Periphery trench in MI tank			
Category IV				
a	Desilting and deepening of Open Well	80.47/ Cum	87.51/ Cum	-
b	Desilting of Drinking Water Tanks/Cattle ponds			
c	Earth work excavation of silt in tank beds (Silt application)			
Category V				
a	Formation of approach roads	80.47/ Cum	87.51/ Cum	-
b	MI tanks			

	c	Flood Bund				
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
	Category-VI					
	a	Silo pits	137.0/ Cum	149.0/ Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Compost Pit				
	d	Digging of new open well				
	Category-VII					
	Plantation pits					
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	116.44/ Cum	126.64/ Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	102.74/ Cum	111.74/ Cum	-	
7	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in Hard soils like gravel, moram.,					
	Category-I					
	a	Contour bunding/Earthen bunding	75.34/ Cum	81.93/ Cum	-	
		Breaking of clods, tamping & sectioning for earthen bunding	23.96/ Cum	26.05/ Cum		
	b	Terrasing in Hill / slope areas	99.31/ Cum	108.00/ Cum		
	c	Land levelling				
	d	Conservative furrows				
	Category-II					
	a	Mini Percolation Tank/Percolation tank	99.31/ Cum	108.00/ Cum	-	
	b	Recharge of dried up open well				
	c	Desilting and Deepening of existing check dams/percolation tanks				
	d	Rockfill dams, Gully control works, Loose boulder structure				
	e	Check Dam/Check wall				
	Category-III					
	a	Boundry Trench	116.44/ Cum	126.64/ Cum	-	
	b	Trench - Cum -Bund				
	c	Staggered trenches, Continuous Contour trenches				
	d	Water Absorption trench at foot hills				

	e	Cattle Proof Trenches				
	f	Periphery trench in MI tank				
Category IV						
	a	Formation of approach roads	99.31/ Cum	108.00/ Cum	-	
	b	MI tanks				
	c	Flood Bund				
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
Category-V						
	a	Silo pits	154.11/ Cum	167.61/ Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Compost Pit				
	d	Digging of new open well				
Category-VI						
Plantation pits						
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	131.85/ Cum	143.40 Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
7	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	116.44/ Cum	126.64/ Cum	-	
8	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soils with mixture of gravel, pebble and soft disintegrated rock like shales ordinary gravel, stoney earth and earth mixed with fair sized boulders					
	Category-I					
	a	Contour bunding/Earthen bunding	82.19/ Cum	89.38/ Cum	-	
		Breaking of clods, tamping & sectioning for earthen bunding	27.39/ Cum	29.78/ Cum		
	b	Terrasing in Hill / slope areas	109.59/ Cum	119.19/ Cum		
	c	Land levelling				
	d	Conservative furrows				
	Category-II					
	a	Mini Percolation Tank/Percolation tank	109.59/ Cum	119.19/ Cum	-	
	b	Recharge of dried up open well				
	c	Desilting and Deepening of existing check dams/percolation tanks				
	d	Rockfill dams, Gully control works, Loose boulder structure				

	e	Check Dam/Check wall			
	Category-III				
	a	Boundry Trench	123.29/ Cum	134.09/ Cum	-
	b	Trench - Cum -Bund			
	c	Staggered trenches, Continuous Contour trenches			
	d	Water Absorption trench at foot hills			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	Category IV				
	a	Formation of approach roads	109.59/ Cum	119.19/ Cum	-
	b	MI tanks			
	c	Flood Bund			
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies			
	e	New Feeder/Field Channel			
	f	Construction of drains			
	g	Closure of abandoned open wells			
	Category-V				
	a	Silo pits	150.69/ Cum	163.89/ Cum	-
	b	Farm Pond/Dugout pond/Sunken pit			
	c	Compost Pit			
	d	Digging of new open well			
	Category-VI				
	Plantation pits				
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	137.00/ Cum	149.00/ Cum	-
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit			
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit			
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	123.29/ Cum	134.09/ Cum	-
9	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soft disintegrated rock soils (removable by pick axes and crow bars)				
	Category-I				
	a	Contour bunding/Earthen bundng	154.11/ Cum	167.61/ Cum	-
		Breaking of clods, tamping & sectioning for earthen bundng			
	b	Terrasing in Hill / slope areas			
c	Land levelling				

	d	Conservative furrows			
Category-II					
	a	Mini Percolation Tank/Percolation tank	154.11/ Cum	167.61/ Cum	-
	b	Recharge of dried up open well			
	c	Desilting and Deepening of existing check dams/percolation tanks			
	d	Rockfill dams, Gully control works, Loose boulder structure			
	e	Check Dam/Check wall			
Category-III					
	a	Boundry Trench	154.11/ Cum	167.61/ Cum	-
	b	Trench - Cum -Bund			
	c	Staggered trenches, Continuous Contour trenches			
	d	Water Absorption trench at foot hills			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
Category-IV					
	a	Silo pits	171.24/ Cum	186.24/ Cum	-
	b	Farm Pond/Dugout pond/Sunken pit			
	c	Compost Pit			
	d	Digging of new open well			
Category V					
	a	Formation of approach roads	154.11/ Cum	167.61/ Cum	-
	b	MI tanks			
	c	Flood Bund			
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies			
	e	New Feeder/Field Channel			
	f	Construction of drains			
	g	Closure of abandoned open wells			
10	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in silt in canals, channels and drains				
	a	Feeder/Field Channel and Irrigation drains upto 1.0 mt depth	59.92/ Cum	65.16/ Cum	-
	b	Renovation of spring channels			

11	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in sandy soils or loose soils/wet sand not under water				
	a	Land levelling for land development and Flood control Project	45.28/ Cum	49.24/ Cum	-
12	a	Benching with 0.45mx 0.45m size and 0.60mx0.30m size	20.54/ Rmt	22.33/ Rmt	-
13	Carrying of earth / gravel by head loads – Leads & Lifts				
	a	For every additional Lead of 10 mts over and above initial lead of 10mt	17.12/cum	18.61/cum	-
	b	For every additional lift of 1mt over and above initial lift of 2mts	17.12/cum	18.61/cum	-
14	Conveyance of silt , carted earth, stable casing soil and gravel excluding loading and unloading				
	a	up to 1 km	58.50/-cum	58.50/-cum	No change
	b	2 km	68.25/-cum	68.25/-cum	
	c	3 km	78/-cum	78/-cum	
	d	4km	87.75/-cum	87.75/-cum	
	e	5km	104/-cum	104/-cum	
	f	6km	107/-cum	107/-cum	
	g	7 km	120/-cum	120/-cum	
	h	8 km	132/-cum	132/-cum	
	i	9 km	138/-cum	138/-cum	
	j	10 km	143/-cum	143/-cum	
15		Labour charges for Spreading of silt unloaded by tractor in the field	16.64/- cum	18.09/- cum	-
16		Labour charges for breaking clods, trimming, sectioning and manual compaction using Dimmisa	16.98/-cum	18.46/-cum	-
17	Pebble bunding				
	a	Small stone (size more than 40mm) bunding-Labour charges for collecting and putting as bund only.	179.80/ Cum	195.55/ Cum	-
18	Stone revetment (Un skilled)				
	a	Labour charges for revetment for all type of works	299.67/ Cum	325.92/ Cum	-
19	Rough Stone Dry Packing & Stone pitching (Unskilled)				
	a	Rock Fill Dam, Stone Checks & Stone outlets – Labour charges for packing only.	171.24/ Cum	186.24/ Cum	-
	b	Stone Terracing – Labour charges for packing only.	171.24/ Cum	186.24/ Cum	-
20	Plantation works				
	Category : I				
	a	Survey and demarcation	22.25/- per100 nos	24.19/- per100 nos	-

21	b	Alignment and fixing of planting point with 0.45 meters length sticks	64.17/-per 100 nos	69.79/-per 100 nos	-
	c	0.45 meter sticks preparation and transportation at site.	34.24/- per 100 nos	37.23/- per 100 nos	-
	d	i) Internal transportation of bag plants to planting points. (5"x9")	34.24/- per 100 nos	37.23/- per 100 nos	-
		ii) Internal transportation of Avenue Plantation. Tall plants	132.88/- per 100 nos	144.52/- per 100 nos	-
	e	Refilling of Pits and planting (mXmXm), staking stick			
		i) 0.30 X 0.30 X 0.30 Size pit	0.81/- each	0.88/- each	-
		ii) 0.45 X 0.45 X 0.45 Size pit	2.52/- each	2.74/- each	-
		iii) 0.60 X 0.60 X 0.60 Size pit	5.12/- each	5.56/- each	-
		iv) 0.90 X 0.90 X 0.90 Size pit	7.66/- each	8.33/- each	-
		v) 1.00 X 1.00 X 1.00 Size pit	8.55/- each	9.29/- each	-
22	Soil working and weeding				
	Category : I (1 M dia and 0.1 m Depth)				
	a	Avenue Plantation	8.55/- each	9.29/- each	-
	b	Horticulture	8.55/- each	9.29/- each	-
	Category : II (0.5 M dia and 0.1 m Depth)				
	a	Fore shore plantation	2.52/- each	2.74/- each	-
	b	B.H.Afforestation	2.52/- each	2.74/- each	-
	c	Bio Diesel Plantation & Block plantation	2.52/- each	2.74/- each	-
23	Causality Replacement for				
	a	Reopening of Pits for avenue, Horticulture & Blok Plantations.	8.69/- each	9.45/- each	-
	b	Fore share plantation, Barren Hill Afforestation, Bio-Diesel	4.24/- each	4.61/- each	-
23		Watch & Ward and repair to Fence and soil working of each plant including pruning of branches for plantations raised in common property resource lands and lands of SC/ST/assignees.	137.0/- day	149.0/- day	-

24	Bio Fencing / Brush Wood Fencing for barren hill afforestation.				
	a	Nurseries, block plantation and fore shore plantation including collection, transportation and fixing at site	17.11/- Rmt	18.60/- Rmt	-
	b	Avenue Plantation including collection, transportation and fixing at site (Size of 1 m dia and 1.5 m height)	64.79/- each	70.46/- each	-
	c	Horticulture, for lands of SC-ST & Assignee lands only	1712.45/- acre	1862.46/- acre	-
	d	Horticulture fencing 1 st year & 2 nd year maintenance SC-ST& Assignee lands only.	428.10/- acre	465.60/- acre	-
25	Deep Ploughing in				
	a	Fallow Land and Hard Gravel soils (Depth not less than 0.3 meters) using ploughing tractors	1132/- acre	1231/- acre	-
	b	fallow land in ordinary soils using ploughing tractor depth not less than 0.3 m	906/- acre	985/- acre	-
	c	Cattle cultivator (Double ploughing) in ordinary soils.	680/- acre	740/- acre	-
26		Watering plants of block plantation from the sump constructed (where ever one sump is available per one acre)	2.18/- plant	2.37/- plant	-
27		Watering plants from hand pump/bore well/open well up to distance of 30 mt	3.07/- plant	3.33/- plant	-
28		Watering block plantation from the nearby sources i.e bore well open well or kunta beyond 30 mts distance.	3.82/- plant	4.15/- plant	-
29		Hire charges of tractor mounted water tanker for filling sump	340/- per one trip of 5000 ltrs capacity	370/- per one trip of 5000 ltrs capacity	-
30		Construction of sump with 3 Nos of RCC Rings of 4 feet diameter , 1 foot height and 2 inch thickness prepared by using 2 Nos. of 4 mm dia MS rods with CM(1:5) and 4 mm dia metal chips for a sump with an inner volume of 37.68 cu.ft with 1066 litres capacity.	1452/- each sump		-
31		Sharpening of crowbar	10/- per day	10/- per day	No change
32		Basket Replenishment charges	3/- per day	3/- per day	No change

R.SUBRAHMANYAM
PRINCIPAL SECRETARY TO GOVERNMENT (RD)

SECTION OFFICER